March 2016



Page 1 of 5

INTRODUCTION Date of issue: 29th March 2016

STATEMENT OF HAZARDOUS NATURE: NOT CLASSIFIED AS A HAZARDOUS

SUBSTANCE

COMPANY DETAILS: BORON SOLUTIONS (AUSTRALIA) P/L

ACN 061 074 048

STREET ADDRESS: Unit 1 / 65 Christensen Rd

Stapylton Q4207

POSTAL ADDRESS As Above

TELEPHONE NO: (61) (07) 3807 7374 **FAX NO:** (61) (07) 3807 7245

Email enquries @boron.com.au

www.mabons.com.au

EMERGENCY TELEPHONE NO: FREECALL: 1800 815 477 (Australia Only)

PRODUCT IDENTIFICATION

Product Name: Mabon's Protectimber

Other Names: Mabon's ProtecTimber Professional

Product code BPROT/BPTP

APVMA approval N# 54637/1101 and 56892 0303

UN Number:None allocatedDangerous Goods Class:Not applicableHazchem Code:Not applicableSubsidiary Risk:Not applicable

Toxic Substances Schedule: Caution Schedule 5

NFPA: (Health: 2) - (Flammability: 0) - (Reactivity: 0)

Packing Group: Not applicable IMDG: Not applicable

Manufacturer: Mabon's Timber Protection Australia

Use: Insecticide, termiticide, fungicide, algaecide,

mouldicide and slimeacide for preventative and remedial treatment of timber, brick and other

porous masonry finishes.

PHYSICAL DESCRIPTION / PROPERTIES:

Appearance: Clear colourless liquid with a sweet smell.

March 2016



Page 2 of 5

Form: Liquid
Boiling Point: >100°C
Melting Point: <0°C

Vapour pressure: Relatively non-volatile

Vapour density:Not applicableVolatile Component:Not available

Specific gravity: 1.22

Flash Point: Not applicable Flammability Limits: Not applicable

Autoignition Temp: >400°C Solubility in water: 100%

INGREDIENTS:

Chemical Entity	CAS. No.	Proportion
Disodium Octaborate Tetrahydrate	2280-03-4	10-30%
Benzalkonium Chloride	8001-54-5	<10%
Mono Ethylene glycol	107-21-1	<60%
Water	7732-18-5	To 100%

HEALTH HAZARD INFORMATION:

Swallowed: Harmful if swallowed. May cause nausea, vomiting, diarrhoea

and abdominal pain. Central nervous system stimulation followed by depression may occur following ingestion of large quantities.

Eye: Irritating to eyes.

Skin: Harmful in contact with skin. Irritant. Prolonged or repeated

exposure may lead to defatting of the skin, which could cause

secondary dermatitis.

Inhaled: Irritant. Inhalation of mist may cause headache, nausea and

irritation of the throat and respiratory tract.

Chronic Kidney and liver damage may result from chronic exposure.

Chronic exposure may cause hair loss, weight loss and

diarrhoea.

FIRST AID:

Swallowed: Never give anything by mouth to an unconscious person. If

swallowed, and if more than 15 minutes for a hospital, induce vomiting, preferably using Ipecac syrup APF. If poisoning occurs,

contact a doctor or Poisons Information Centre.

Eye: In case of contact with eyes, rinse immediately with plenty of

water and contact a doctor or Poisons Information Centre.

March 2016



Page 3 of 5

Ensure eyewash and safety showers are available and ready for

use.

After contact with skin, wash immediately with plenty of warm Skin:

soapy water. Seek medical assistance if large area involved.

Inhaled: Remove victim to fresh air. Lay patients down and keep warm

and rested. If breathing is shallow or has stopped, ensure airway

is clear and apply resuscitation. Seek medical assistance.

Advice to Doctor:

Treat symptomatically. Early diagnosis and treatment of ingestion is important. Ensure emesis is satisfactory. Test for correct metabolic acidosis and hypocalcaemia. If evidence of renal insufficiency apply rapid and sustained diuresis with the use of hypertonic mannitol. Evaluate renal status and begin

haemodialysis if indicated.

PRECAUTIONS FOR USE:

TWA WES-C **Exposure Workplace exposure standards:**

Standards: $50ppm (127mg/m^3)$ Mono ethylene glycol

> 1ma/m^3 Borax

Engineering

Good Ventilation required. Local exhaust should be provided if Controls:

handled in confined areas.

Personal Protection: Wear eye protection in the form of goggles, Nitrile, PVC or rubber gloves, PVC boots and polyester overalls should be worn when

manufacturing or handling the concentrated product.

An "organic vapour" respirator should be used during any

spraying operations.

Not flammable. Flammability:

STORAGE & HANDLING INFORMATION

Road Transport:	Not dangerous goods
Sea Transport:	Not dangerous goods
Storage:	Store in a dry place away from foodstuffs at all times. Store away from sources of heat or ignition.
Spills and Disposal:	Wear protective clothing as above. Do not allow into drains or watercourses. Contain spill by absorbing with sand, earth or other absorbent material.
	Wash down spill area with copious quantities of water. Waste and empty containers must be disposed on it accordance with local

March 2016



Page 4 of 5

	government regulations. Dispose of by liaising with a waste disposal company or by disposing at a site approved by relevant local authorities.
Disposal of Containers.	5, 10 litre and 200 litre drums of Mabon's PROTECTIMBER® can be disposed of at collection centres after triple or pressure rinsing the container and air drying ensuring no residue is left inside or outside the container.
Reactivity Data:	Stable. Avoid strong acids and oxidising agents.
Fire/Explosion Hazard:	Not flammable but will burn in a fire. Use water spray to cool containers threatened by fire. Use alcohol foam, water fog, dry chemical or carbon dioxide to extinguish.

ADDITIONAL INFORMATION:

TOXICITY DATA:

Product: Oral LD50 (rat) - 6216 mg/kg

Disodium octaborate Oral LD50 (rat) - 2000 mg/kg

Tetrahydrate: Oral LD50 (guinea pig) - 5300 mg/kg

Benzalkonium chloride: Oral LD50 (rat) - 240ml/kg

Skin LD50 (rat) - 1560 mg/kg

Human eye - 50μg SEV

Mono ethylene glycol: Oral LD50 (rat) - 4700 mg/kg

Lower lethal dose (human) - 786 mg/kg

Environment: Prevent spillage from entering waterways.

CONTACT POINTS:

BORON SOLUTIONS AUSTRALIA Pty Ltd

Mabon's 24 HOUR EMERGENCY NUMBERS

Business hours FREECALL 1800 815 477(Australia Only)

After Hours: (61 7) 3807 7374

March 2016



Page 5 of 5

FIRE OR POLICE IN AN EMERGENCY, DIAL 000 24 hr Emergency No:

Poisons Centre Phone: 13 12 26