

Safety data sheet

Page: 1/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

1. Substance/preparation and manufacturer/supplier identification

Product name: Seclira® WSG Insecticide

Use: crop protection product, insecticide

Recommended use: biocide

Manufacturer/supplier: BASF Australia Limited (ABN 62 008 437 867) Level 12, 28 Freshwater Place Southbank Victoria 3006, AUSTRALIA Telephone: +61 3 8855-6600 Telefax number: +61 3 8855-6511

Emergency information: BASF Emergency Advice Number: 1800 803 440 (24h) [within Australia] BASF Emergency Advice Number: + 61 3 8855 6666 [outside Australia]

2. Hazard identification

Classification of the substance and mixture: Hazardous to the aquatic environment - acute: Cat.1 Hazardous to the aquatic environment - chronic: Cat.1

Label elements and precautionary statement:

Pictogram:



Page: 2/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

Signal Word: Warning		
Hazard Statement: H400 H410	Very toxic to aquatic life. Very toxic to aquatic life with long lasting effects.	
Precautionary Statemen P101 P102 P103	it: If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read carefully and follow all instructions.	
Precautionary Statements (Response): P391 Collect spillage.		
Precautionary Statemen P501	its (Disposal): Dispose of contents and container to hazardous or special waste collection point.	
Other hazards which do not result in classification: See section 12 - Results of PBT and vPvB assessment.		

If applicable information is provided in this section on other hazards which do not result in classification but which may contribute to the overall hazards of the substance or mixture.

3. Composition/information on ingredients

Chemical nature

Substance nature: mixture

insecticide, water dispersible granules

Hazardous ingredients

dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Content (W/W): 40 % Acute Tox.: Cat. 4 (oral) CAS Number: 165252-70-0 Aquatic Acute: Cat. 1 Aquatic Chronic: Cat. 1

4. First-Aid Measures

General advice: Remove contaminated clothing.

If inhaled: Keep patient calm, remove to fresh air.

On skin contact: Wash thoroughly with soap and water

On contact with eyes: Wash affected eyes for at least 15 minutes under running water with eyelids held open.

Page: 3/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

On ingestion: Rinse mouth and then drink 200-300 ml of water.

Note to physician:

Symptoms: Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11., (Further) symptoms and / or effects are not known so far Treatment: Symptomatic treatment (decontamination, vital functions).

5. Fire-Fighting Measures

Suitable extinguishing media: water spray, dry powder, foam

Unsuitable extinguishing media for safety reasons: carbon dioxide

Specific hazards: carbon monoxide, carbon dioxide, nitrogen oxides, acid halides The substances/groups of substances mentioned can be released in case of fire.

Special protective equipment:

Wear self-contained breathing apparatus and chemical-protective clothing.

Further information:

Collect contaminated extinguishing water separately, do not allow to reach sewage or effluent systems. Dispose of fire debris and contaminated extinguishing water in accordance with official regulations. In case of fire and/or explosion do not breathe fumes. Keep containers cool by spraying with water if exposed to fire.

6. Accidental Release Measures

Personal precautions:

Use personal protective clothing. Avoid contact with the skin, eyes and clothing. Avoid dust formation.

Environmental precautions:

Do not discharge into the subsoil/soil. Do not discharge into drains/surface waters/groundwater.

Page: 4/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

Methods for cleaning up or taking up:

For small amounts: Contain with dust binding material and dispose of.

For large amounts: Sweep/shovel up.

Dispose of absorbed material in accordance with regulations. Collect waste in suitable containers, which can be labeled and sealed. Clean contaminated floors and objects thoroughly with water and detergents, observing environmental regulations. Avoid raising dust.

7. Handling and Storage

Handling

No special measures necessary if stored and handled correctly. Ensure thorough ventilation of stores and work areas. When using do not eat, drink or smoke. Hands and/or face should be washed before breaks and at the end of the shift.

Protection against fire and explosion: Avoid dust formation. Dust can form an explosive mixture with air. Prevent electrostatic charge sources of ignition should be kept well clear - fire extinguishers should be kept handy.

Storage

Segregate from foods and animal feeds. Further information on storage conditions: Keep away from heat. Protect from direct sunlight. Protect against moisture.

8. Exposure controls and personal protection

Components with occupational exposure limits

No substance specific occupational exposure limits known.

Personal protective equipment

Respiratory protection: Respiratory protection not required.

Hand protection: Chemical resistant protective gloves

Eye protection: Safety glasses with side-shields (frame goggles) (e.g. EN 166)

Body protection: Standard work clothes and shoes.

General safety and hygiene measures:

Avoid contact with the skin, eyes and clothing. In order to prevent contamination while handling, closed working clothes and working gloves should be used. Wash contaminated clothing before reuse. Gloves must be inspected regularly and prior to each use. Replace if necessary (e.g. pinhole leaks). Before eating, drinking, or smoking, wash face and hands with soap and water.

Page: 5/11

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

9. Physical and Chemical Properties

Form: Colour: Odour: Odour threshold:	solid white odourless not applicable, odour not perceivable	
pH value:	approx. 6 - 7 (water, 1 %(m))	
melting range: Boiling point:	78 - 109 °C 111 - 144 °C	
Flash point:	not determined not applicable, the product is a solid	
Evaporation rate:	not applicable	
Flammability (solid/gas): Lower explosion limit: Upper explosion limit:	not flammable As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
	As a result of our experience with this product and our knowledge of its composition we do not expect any hazard as long as the product is used appropriately and in accordance with the intended use.	
Thermal decomposition:		
Self ignition:		Test type: Spontaneous self- ignition at room-temperature.
Self heating ability:	It is not a substance capable of spontaneous heating.	
Explosion hazard: Fire promoting properties	not explosive s: not fire-propagating	
Vapour pressure:	not applicable	

not applicable

Page: 6/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

Density:	approx. 0.5 g/cm3 (20 °C) The statements are based on the properties of the individual	
	components.	
Relative vapour density (air):		
	not applicable	
Solubility in water:	dispersible	
Partitioning coefficient n-octanol/water (log Pow):		
	The statements are based on the	
	properties of the individual	
	components.	
Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine		
Partitioning coefficient n-octanol/water (log Pow): -0.549		
	(25 °C)	

Viscosity, dynamic:

not applicable, the product is a solid

10. Stability and Reactivity

Conditions to avoid: See SDS section 7 - Handling and storage.

Thermal decomposition:

No decomposition if stored and handled as prescribed/indicated.

Substances to avoid: strong oxidizing agents, strong acids, strong bases

Hazardous reactions: No hazardous reactions if stored and handled as prescribed/indicated.

Hazardous decomposition products: No hazardous decomposition products if stored and handled as prescribed/indicated.

Chemical stability: The product is stable if stored and handled as prescribed/indicated.

11. Toxicological Information

Routes of exposure

Acute oral toxicity

Experimental/calculated data: LD50rat (oral): > 5,000 mg/kg

Acute inhalation toxicity

LC50 rat (by inhalation): > 5.09 mg/l 4 h

Page: 7/11

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

No mortality was observed.

Acute dermal toxicity

LD50 rat (dermal): > 5,000 mg/kg

Assessment of acute toxicity

Virtually nontoxic after a single ingestion. Virtually nontoxic by inhalation. Virtually nontoxic after a single skin contact.

Symptoms

Information, i.e. additional information on symptoms and effects may be included in the GHS labeling phrases available in Section 2 and in the Toxicological assessments available in Section 11. (Further) symptoms and / or effects are not known so far

Irritation

Assessment of irritating effects: Not irritating to the skin. Not irritating to the eyes.

Experimental/calculated data: Skin corrosion/irritation rabbit: non-irritant

Serious eye damage/irritation rabbit: non-irritant

Respiratory/Skin sensitization

Assessment of sensitization: There is no evidence of a skin-sensitizing potential.

Experimental/calculated data: Buehler test guinea pig: Non-sensitizing.

Germ cell mutagenicity

Assessment of mutagenicity: The product has not been tested. The statement has been derived from the properties of the individual components. Mutagenicity tests revealed no genotoxic potential.

Carcinogenicity

Assessment of carcinogenicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of various animal studies gave no indication of a carcinogenic effect.

Reproductive toxicity

Assessment of reproduction toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. The results of animal studies gave no indication of a fertility impairing effect.

Developmental toxicity

Assessment of teratogenicity:

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

The product has not been tested. The statement has been derived from the properties of the individual components. Animal studies gave no indication of a developmental toxic effect at doses that were not toxic to the parental animals.

Specific target organ toxicity (single exposure)

Based on the available information there is no specific target organ toxicity to be expected after a single exposure.

Remarks: The product has not been tested. The statement has been derived from the properties of the individual components.

Repeated dose toxicity and Specific target organ toxicity (repeated exposure)

Assessment of repeated dose toxicity:

The product has not been tested. The statement has been derived from the properties of the individual components. No substance-specific organtoxicity was observed after repeated administration to animals.

Aspiration hazard

The product has not been tested. The statement has been derived from the properties of the individual components.

Other relevant toxicity information

Misuse can be harmful to health.

12. Ecological Information

Ecotoxicity

Assessment of aquatic toxicity: Very toxic to aquatic life with long lasting effects. The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Toxicity to fish: LC50 (96 h) > 100 mg/l, Oncorhynchus mykiss

LC50 (96 h) > 100 mg/l, Cyprinus carpio

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Aquatic invertebrates: EC50 (48 h) > 1,000 mg/l, Daphnia magna

EC50 (96 h) 0.79 mg/l, Mysidopsis bahia

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Aquatic plants:

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

EC50 (72 h) 97.6 mg/l (biomass), Pseudokirchneriella subcapitata

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Chronic toxicity to aquatic invertebrates:

No observed effect concentration, 0.089 mg/l, Mysidopsis bahia

Mobility

Assessment transport between environmental compartments: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment transport between environmental compartments: Following exposure to soil, the product trickles away and can - dependent on degradation - be

transported to deeper soil areas with larger water loads.

Persistence and degradability

Assessment biodegradation and elimination (H2O): The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment biodegradation and elimination (H2O): Not readily biodegradable (by OECD criteria).

Bioaccumulation potential

Assessment bioaccumulation potential: The product has not been tested. The statement has been derived from the properties of the individual components.

Information on: dinotefuran (ISO); (RS)-1-methyl-2-nitro-3-(tetrahydro-3-furylmethyl)guanidine Assessment bioaccumulation potential:

Because of the n-octanol/water distribution coefficient (log Pow) accumulation in organisms is not to be expected.

Additional information

Other ecotoxicological advice: Do not discharge product into the environment without control.

13. Disposal Considerations

Must be disposed of or incinerated in accordance with local regulations.

Page: 10/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

Contaminated packaging:

Contaminated packaging should be emptied as far as possible and disposed of in the same manner as the substance/product.

14. Transport Information

Domestic transport:

UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group: Environmental hazards:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DINOTEFURAN) 9, EHSM III yes
Special precautions for user:	None known
Further information Hazchem Code:2Z IERG Number:47	
Sea transport IMDG	
UN number or ID number: UN proper shipping name: Transport hazard class(es): Packing group:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DINOTEFURAN) 9, EHSM III
Environmental hazards: Special precautions for user:	yes Marine pollutant: YES EmS: F-A; S-F
Air transport IATA/ICAO	
UN number or ID number: UN proper shipping name:	UN 3077 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID, N.O.S. (DINOTEFURAN)

Packing group: Ш Environmental hazards: Special precautions for user:

Transport hazard class(es): 9, EHSM yes None known

Further information

Page: 11/11

BASF Safety data sheet Date / Revised: 24.12.2022 Product: Seclira® WSG Insecticide

Version: 3.0

(30676473/SDS_CPA_AU/EN) Date of print): 26.12.2022

Environmentally Hazardous Substances meeting the description of UN 3077 or UN 3082 are not subjected to the Australian Dangerous Goods Code when transported by road or rail in packagings not exceeding 500 kg(L) or IBCs.

Product may be shipped as non-hazardous in suitable packages containing a net quantity of 5 kg or less under the provisions of various regulatory agencies: ADR, RID, ADN: Special Provision 375; IMDG: 2:10.2.7; IATA: A197; TDS: Special Provision 99(2); 49CFR: §171.4 (c) (2) and also the Special Provision 375 in Appendix B which is regulated in China "Regulations Concerning Road Transportation of Dangerous Goods Part 3: Index of dangerous goods name and transportation requirements" (JT/T 617.3)

15. Regulatory Information

Other regulations

If other regulatory information applies that is not already provided elsewhere in this safety data sheet, then it is described in this subsection.

Standard for the Uniform Scheduling of Medicines and Poisons (SUSMP): Schedule 5

APVMA Approval No: 83011

16. Other Information

Vertical lines in the left hand margin indicate an amendment from the previous version.

The data contained in this safety data sheet are based on our current knowledge and experience and describe the product only with regard to safety requirements. This safety data sheet is neither a Certificate of Analysis (CoA) nor technical data sheet and shall not be mistaken for a specification agreement. Identified uses in this safety data sheet do neither represent an agreement on the corresponding contractual quality of the substance/mixture nor a contractually designated use. It is the responsibility of the recipient of the product to ensure any proprietary rights and existing laws and legislation are observed.